

11/14/2018

Page of

Post Focus Exposure Report**This updated assessment is based on the Post Focus Revision Draft 2 dated 11/6/2018****The release estimates were revised based on the Updated Engineering Report****Chemical ID:P-18-0107 Reviewer: Orentas/HDJ**

Exposure Scenario	Water						Land fill(non-sludge)	Stack		Fugitive	
Release Activity(ies) exposure Calculations	Drinking Water		Fish Ingestion								
	ADR mg/kg/day	LADD mg/kg/day	ADR mg/kg/day	LADD mg/kg/day	7Q10cc 1000 ug/l	PDM Exceeded # Days	LADD mg/kg/day	ADR mg/kg/day	LADD mg/kg/day	ADR mg/kg/day	LADD mg/kg/day
PROC:Max ADR: max acute eco	1.04e-4	--	--	--	4.70e+0	--	--	-- (--)	-- (--)	-- (--)	-- (--)
PROC:PDM	--	--	--	--	4.70e+0	--	--	-- (--)	-- (--)	-- (--)	-- (--)
PROC:Max LADD	--	3.47e-6	--	--	--	--	--	-- (--)	-- (--)	-- (--)	2.11e-4 (2.73e+0)
USE:Max ADR: max acute eco	5.70e-4	--	--	--	2.58e+1	--	--	-- (--)	-- (--)	-- (--)	-- (--)
USE:PDM	--	--	--	--	2.58e+1	--	--	-- (--)	-- (--)	-- (--)	-- (--)
USE:Max LADD	--	1.93e-5	--	--	--	--	--	-- (--)	-- (--)	-- (--)	-- (--)

1. Exposure scenario titles consist of release activity followed by exposure calculation abbreviation.
2. Release activities are from engineering report's Manufacturing (Mfg), Processing (Proc) and Use release activity labels. Multiple release activities are combined in one exposure scenario if their releases occur at same location.
3. Exposure calculations are Acute Dose Rate (ADR), Lifetime Average Daily Dose (LADD), and Probabilistic Dilution Model (PDM). There may be one, two, or all three exposure calculations per exposure scenario. CC is the aquatic concentration of concern.
4. This column displays concentration values for the 7Q10 streamflow, which is defined as the average daily streamflow of the seven consecutive days of lowest flow within a ten year period.

Remarks:**PROC – POTW Industrialized (site not found)****USE – POTW Industrialized**

POST FOCUS EXPOSURE REPORT

Chemical ID: P-18-0107

Assessor: Orentas/HDJ

ENVIRONMENTAL RELEASES

Scenario#:1

Number of Release Sites: ■

Release Activity: PROC:Max ADR

Release Description:	WATER	LANDFILL Non-sludge/Sludge	STACK	FUGITIVE
Total Releases:	■ (kg/yr)	■ (kg/yr)	■ (kg/yr)	■ (kg/yr)

Non-sludge/Sludge

Release Days/yr:	■	■	■	■
Per Site Release:	■ (kg/site/day)	■ (kg/site/day)	■ (kg/site/day)	■ (kg/site/day)

Remarks:

POST FOCUS EXPOSURE REPORT

Chemical ID: P-18-0107

SIC-CODE BASED HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO #: 1

Number of Sites ■

RELEASE

ACTIVITY:PROC:Max ADR

SIC-CODE DESCRIPTION: ■

SIC-CODE (S): ■

EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
■	■	■	■	■	■

AQUATIC EXPOSURE ESTIMATES - SURFACE WATER

PLANT TYPE	% ILE FACILITY	STREAM FLOW (MLD)				STREAM CONC. (µg/l)			
		Harmonic Mean	30Q5	7Q10	1Q10	Harmonic Mean	30Q5	7Q10	1Q10
ALL	50	288.00	123.84	78.18	66.05	0.13	0.29	0.47	0.55
ALL	10	39.60	13.29	7.76	7.57	0.92	2.75	4.70	4.82

DRINKING WATER AND FISH INGESTION EXPOSURE ESTIMATES

Exposure Units	Drinking Water Results		Drinking Water Units	Fish Ingestion Results		Fish Ingestion Units
	50%	10%		50%	10%	
Cancer						
LADD _{pot}	4.77E-07	3.47E-06	mg/kg/day	0.00	0.00	mg/kg/day
LADC _{pot}	3.67E-05	2.67E-04	mg/L	0.00	0.00	mg/kg
Acute						
ADR _{pot}	1.12E-05	1.04E-04	mg/kg/day	0.00	0.00	mg/kg/day

SIC Code Comments:

POST FOCUS EXPOSURE REPORT

Chemical ID: P-18-0107

Assessor: Orentas/HDJ

ENVIRONMENTAL RELEASES

Scenario#:2

Number of Release Sites: ■

Release Activity: PROC:PDM

Release Description:	WATER	LANDFILL Non-sludge/Sludge	STACK	FUGITIVE
----------------------	-------	-------------------------------	-------	----------

Total Releases:

■	■	■	■
(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)

Non-sludge/Sludge

Release Days/yr:

■	■	■	■
---	---	---	---

Per Site Release:

■	■	■	■
(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

Remarks:

Chemical ID: P-18-0107

RELEASE
ACTIVITY:PROC:PDM

SIC-CODE (S):

EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
████	████	████	██████	████	████

AQUATIC EXPOSURE ESTIMATES - SURFACE WATER									
PLANT TYPE	% ILE FACILITY	STREAM FLOW (MLD)				STREAM CONC. (µg/l)			
		Harmonic Mean	30Q5	7Q10	1Q10	Harmonic Mean	30Q5	7Q10	1Q10
ALL	50	288.00	123.84	78.18	66.05	0.13	0.29	0.47	0.55
ALL	10	39.60	13.29	7.76	7.57	0.92	2.75	4.70	4.82

DRINKING WATER AND FISH INGESTION EXPOSURE ESTIMATES						
Exposure Units	Drinking Water Results		Drinking Water Units	Fish Ingestion Results		Fish Ingestion Units
	50%	10%		50%	10%	
Cancer						
LADD _{pot}	4.77E-07	3.47E-06	mg/kg/day	0.00	0.00	mg/kg/day
LADC _{pot}	3.67E-05	2.67E-04	mg/L	0.00	0.00	mg/kg
Acute						
ADR _{pot}	1.12E-05	1.04E-04	mg/kg/day	0.00	0.00	mg/kg/day

SIC Code Comments:

POST FOCUS EXPOSURE REPORT

Chemical ID: P-18-0107

SIC CODE EXPOSURES TO SURFACE WATER RELEASES

SCENARIO #: 2

RELEASE ACTIVITY: PROC:PDM

SIC CODE DESCRIPTION: [REDACTED]

ASSOCIATED SIC CODES: [REDACTED]

SIC CODE RESULTS

COC (µg/L)	Percent of Year COC Exceeded	Number of Days COC Exceeded	Release days/year	Loading (kg/site/day)	Waste Water Treatment (%)	High/Avg Analysis
[REDACTED]	■	■	[REDACTED]	■	[REDACTED]	■

POST FOCUS EXPOSURE REPORT

Chemical ID: P-18-0107

Assessor: Orentas/HDJ

ENVIRONMENTAL RELEASES

Scenario#:3

Number of Release Sites: ■

Release Activity: PROC:Max LADD

Release Description:	WATER	LANDFILL Non-sludge/Sludge	STACK	FUGITIVE
Total Releases:	■ (kg/yr)	■ (kg/yr)	■ (kg/yr)	■ (kg/yr)
Non-sludge/Sludge				
Release Days/yr:	■	■	■	■
Per Site Release:	■ (kg/site/day)	■ (kg/site/day)	■ (kg/site/day)	■ (kg/site/day)

Remarks:

Chemical ID: P-18-0107

SCENARIO #: 3 Number of Sites ■ RELEASE
ACTIVITY:PROC:Max LADD

SIC-CODE DESCRIPTION: [REDACTED]

SIC-CODE (S): XXXXXXXXXX EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
████	█	████	████	████	████

AQUATIC EXPOSURE ESTIMATES - SURFACE WATER									
PLANT TYPE	% ILE FACILITY	STREAM FLOW (MLD)				STREAM CONC. (µg/l)			
		Harmonic Mean	30Q5	7Q10	1Q10	Harmonic Mean	30Q5	7Q10	1Q10
ALL	50	288.00	123.84	78.18	66.05	N/A	N/A	N/A	N/A
ALL	10	39.60	13.29	7.76	7.57	N/A	N/A	N/A	N/A

DRINKING WATER AND FISH INGESTION EXPOSURE ESTIMATES						
Exposure Units	Drinking Water Results		Drinking Water Units	Fish Ingestion Results		Fish Ingestion Units
	50%	10%		50%	10%	
Cancer						
LADD _{pot}	4.77E-07	3.47E-06	mg/kg/day	0.00	0.00	mg/kg/day
LADC _{pot}	3.67E-05	2.67E-04	mg/L	0.00	0.00	mg/kg
Acute						
ADR _{pot}	N/A	N/A	mg/kg/day	N/A	N/A	mg/kg/day

SIC Code Comments:

POST FOCUS EXPOSURE REPORT

Chemical ID: P-18-0107

INHALATION EXPOSURE ESTIMATES (POST-TREATMENT)
--

SCENARIO #: 3

RELEASE ACTIVITY:PROC:Max LADD

RELEASE DESCRIPTION:

METHOD OF CALCULATION: Screen3

EXPOSED POPULATION: Adult

Number of Sites:

Per Site Fugitive Release:

kg/site/day

Fugitive Release Days per Year:

days

% Removal via Fugitive Release:

%

Total Fugitive Release:

kg/yr

Max Annual Average Air Concentration
(Fugitive): $\mu\text{g}/\text{m}^3$ Max 24 Hour Average Air
Concentration(Fugitive): $\mu\text{g}/\text{m}^3$

Per Site Stack Release:

kg/site/day

Stack Release Days per Year:

days

% Removal via Stack Release:

%

Total Stack Release:

kg/yr

Max Annual Average Air Concentration (Stack):

 $\mu\text{g}/\text{m}^3$

Max 24 Hour Average Air Concentration (Stack):

 $\mu\text{g}/\text{m}^3$

Exposure Units	Results (Stack)	Results (Fugitive)	ASSUMPTIONS			
			ED (years)	AT (years)	BW (kg)	Inh. Rate (m ³ /hr)
Cancer						
LADD _{pot} (mg/kg/day)	N/A	2.11E-04	33.00	78.00	80.00	0.61
LADC _{pot} (mg/m ³)	N/A	1.15E-03	33.00	78.00	NA	NA
Acute						
ADR _{pot} (mg/kg/day)	N/A	N/A	NA	1 day	80.00	0.61

Inhalation Comments:

Stack Parameter Data

Stack Height	10.00
Inside Stack Diameter:	0.10
Stack Gas Exit Velocity:	0.10
Stack Gas Temperature:	293.00

Fugitive Parameter Data

Release Height:	3.00	m
Length of Release Opening:	10.00	m
Width of Release Opening:	10.00	m

Meteorological and Terrain Information:

Surrounding Land Use:	Rural	
Terrain Height:	0.00	m
Distance to Residence of Interest:	100.00	m
Meteorological Class:	Full	
Stability Class:	NA	
Wind Speed:	NA	

Downwash Information:

Facility Length:	NA	m
Facility Width:	NA	m
Facility Height:	NA	m

POST FOCUS EXPOSURE REPORT

Chemical ID: P-18-0107

Assessor: Orentas/HDJ

ENVIRONMENTAL RELEASES

Scenario#:4

Number of Release Sites: ■

Release Activity: USE:Max ADR

Release Description:	WATER	LANDFILL Non-sludge/Sludge	STACK	FUGITIVE
Total Releases:	■ (kg/yr)	■ (kg/yr)	■ (kg/yr)	■ (kg/yr)
Release Days/yr:	■	■	■	■
Per Site Release:	■ (kg/site/day)	■ (kg/site/day)	■ (kg/site/day)	■ (kg/site/day)

Remarks:

POST FOCUS EXPOSURE REPORT

Chemical ID: P-18-0107

Assessor: Orentas/HDJ

ENVIRONMENTAL RELEASES

Scenario#:5

Number of Release Sites ■.

Release Activity: USE:PDM

Release Description:	WATER	LANDFILL Non-sludge/Sludge	STACK	FUGITIVE
----------------------	-------	-------------------------------	-------	----------

Total Releases:

■	■	■	■	■
(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)

Non-sludge/Sludge

Release Days/yr:

■	■	■	■
---	---	---	---

Per Site Release:

■	■	■	■
(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

Remarks:

POST FOCUS EXPOSURE REPORT

Chemical ID: P-18-0107

SIC-CODE BASED HUMAN AND AQUATIC EXPOSURES TO SURFACE WATER RELEASES

SCENARIO #: 5

Number of Sites: 1

RELEASE ACTIVITY:USE:PDM

SIC-CODE DESCRIPTION: [REDACTED]

SIC-CODE (S): [REDACTED]

EXPOSED POPULATION: Adult

WWT REMOVAL (%)	RELEASE DAYS	PRETREATMENT RELEASE (kg/site/day)	POSTTREATMENT RELEASE (kg/site/day)	DWT (%)	BCF (L/kg)
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

AQUATIC EXPOSURE ESTIMATES - SURFACE WATER

PLANT TYPE	% ILE FACILITY	STREAM FLOW (MLD)				STREAM CONC. (µg/l)			
		Harmonic Mean	30Q5	7Q10	1Q10	Harmonic Mean	30Q5	7Q10	1Q10
ALL	50	288.00	123.84	78.18	66.05	0.69	1.61	2.56	3.03
ALL	10	39.60	13.29	7.76	7.57	5.05	15.05	25.77	26.42

DRINKING WATER AND FISH INGESTION EXPOSURE ESTIMATES

Exposure Units	Drinking Water Results		Drinking Water Units	Fish Ingestion Results		Fish Ingestion Units
	50%	10%		50%	10%	
Cancer						
LADD _{pot}	2.66E-06	1.93E-05	mg/kg/day	0.00	0.00	mg/kg/day
LADC _{pot}	2.04E-04	1.49E-03	mg/L	0.00	0.00	mg/kg
Acute						
ADR _{pot}	6.12E-05	5.70E-04	mg/kg/day	0.00	0.00	mg/kg/day

SIC Code Comments:

Chemical ID: P-18-0107

SCENARIO #: 5

SIC CODE DESCRIPTION: _____

ASSOCIATED SIC CODES: XXXXXXXXXX

SIC CODE RESULTS						
COC (µg/L)	Percent of Year COC Exceeded	Number of Days COC Exceeded	Release days/year	Loading (kg/site/day)	Waste Water Treatment (%)	High/Avg Analysis
██████	█	█	██████	████	██████	████

POST FOCUS EXPOSURE REPORT

Chemical ID: P-18-0107

Assessor: Orentas/HDJ

ENVIRONMENTAL RELEASES

Scenario#:6

Number of Release Sites: ■

Release Activity: USE:Max LADD

Release Description:	WATER	LANDFILL Non-sludge/Sludge	STACK	FUGITIVE
----------------------	-------	-------------------------------	-------	----------

Total Releases:

■	■	■	■
(kg/yr)	(kg/yr)	(kg/yr)	(kg/yr)

Non-sludge/Sludge

Release Days/yr:

■	■	■	■
---	---	---	---

Per Site Release:

■	■	■	■
(kg/site/day)	(kg/site/day)	(kg/site/day)	(kg/site/day)

Remarks:

